

ARCH CAPE SANITARY DISTRICT

RESOLUTION 21-02 SD

A RESOLUTION REVISING SYSTEM DEVELOPMENT CHARGES (SDC) / EQUIVALENT DWELLING UNIT (EDU) FEES FOR THE ARCH CAPE SANITARY DISTRICT (the "District")

Whereas, the District adopted Ordinance 98-1 SD establishing a System Development Charge methodology and rates; and

Whereas, Section 4B of the ordinance provides for adoption of SDC rates by resolution; and

Whereas, it is felt prudent to update those charges to more properly reflect changes through investment in District infrastructure and current cost indices; and

Whereas, it is determined that one SDC is equal to one EDU; and

Whereas, the District allows for the annual adjustment of fees in accordance with the Engineering News-Record Construction Cost Index (ENR CCI); and

Whereas, the ENR CCI used in Resolution 20-05 SD was 11,436 and the March 2021 ENR CCI to be applied for the purposes of this Resolution is 11,750 (Index Ratio=11,750/11,436=1.027);

NOW, THEREFORE, be it resolved the ARCH CAPE SANITARY DISTRICT System Development and Connection Charge herein established become effective July 1st, 2021.

<u>¾ inch meter</u>		<u>1 inch meter</u>	
Improvement Fee	\$ 97	Improvement Fee:	\$ 242
Reimbursement Fee	\$ 8,586	Reimbursement Fee:	\$ 21,465
Administrative Fee	\$ 89	Administration Fee:	\$ 217
Total SDC/EDU Charge	\$ 8,772	Total SDC/EDU Charge:	\$ 21,924

Adopted and signed this 16th day of April 2021.

Attest

Smylie

Darr Tindall, President

Darr Tindall