

**ARCH CAPE SANITARY DISTRICT**  
**RESOLUTION 22-01 SD SDC UPDATE**

**A RESOLUTION REVISING SYSTEM DEVELOPMENT CHARGES (SDC) / EQUIVALENT DWELLING UNIT (EDU) FEES FOR THE ARCH CAPE SANITARY DISTRICT (the "District")**

**Whereas**, the District adopted Ordinance 98-1 SD establishing a System Development Charge methodology and rates; and

**Whereas**, Section 4B of the ordinance provides for adoption of SDC rates by resolution; and

**Whereas**, it is felt prudent to update those charges to more properly reflect changes through investment in District infrastructure and current cost indices; and

**Whereas**, it is determined that one SDC is equal to one EDU; and

**Whereas**, the District allows for the annual adjustment of fees in accordance with the Engineering News-Record Construction Cost Index (ENR CCI); and


**Whereas**, the ENR CCI used in Resolution 21-02 SD was 11,750 and the April 2022 ENR CCI to be applied for the purposes of this Resolution is 12,899 (Index Ratio=12,899/11,750=1.09);

**NOW, THEREFORE**, be it resolved the ARCH CAPE SANITARY DISTRICT System Development and Connection Charge herein established become effective July 1st, 2022.

<u>3/4 inch meter</u>		<u>1 inch meter</u>	
Improvement Fee	\$ 106	Improvement Fee:	\$ 264
Reimbursement Fee	\$ 9,359	Reimbursement Fee:	\$ 23,397
Administrative Fee	\$ 97	Administration Fee:	\$ 237
Total SDC/EDU Charge	\$ 9,562	Total SDC/EDU Charge:	\$ 23,898

The above resolution statements were approved and declared adopted on this 19th day of May 2022.

  
\_\_\_\_\_  
Attest: Teri Fladstol, Secretary

  
\_\_\_\_\_  
Darr Tindall, President